LIVING DESIGN
TECHNOLOGY™

HARMONIZING NATURE AND TECHNOLOGY

LIVINGDESIGNTECHNOLOGY.COM

BIOLOGICAL OBSERVATION AND TESTING

©2026 Living Design Technology® | All Rights Reserved

Examples of Biological Observations

- Garden with Living Design Technology® Ceramic Harmonizers
- Garden with Living Design Technology® Clay Powder
- Sprouts on Wi-fi Router
- Personal Testimony

Photo by Dan Leak

©2026 Living Design Technology® | All Rights Reserved

LIVING DESIGN TECHNOLOGY®

Early Summer Sample
Without & With LDT Ceramic Harmonizers

same soil, same plant, same seed planting date

©2026 Living Design Technology® | All Rights Reserved

LIVING DESIGN TECHNOLOGY®

Early Summer Sample
Without and With LDT Clay Powder

same soil, same plant, same seed planting date

©2026 Living Design Technology® | All Rights Reserved

LIVING DESIGN TECHNOLOGY®

Life Supporting Electromagnetic Field



With Living Design Technology® Ceramic Harmonizer

With Living Design Technology® Ceramic Harmonizer

Upland Cress Seeds Sprouted on Wi-fi Router in Same Low Light Conditions with Living Design Technology® Ceramic Harmonizers

©2026 Living Design Technology® | All Rights Reserved

LIVING DESIGN
TECHNOLOGY®

Upland Cress Seeds Sprouted on Wi-fi Router in Same Low Light Conditions with Ceramic Living Design Technology®

©2026 Living Design Technology® | All Rights Reserved

Photo ©Dan Leak

Personal Testimonial with LDT Infused Clay Powder

I received a jar of Living Design charged clay powder to try for support with immune concerns that my daughter has been dealing with for nearly 13 years. Prior to using the clay, my daughter was experiencing random anaphylaxis, severe anxiety, and "seasonal" asthma. Angelina's blood work consistently showed low WBC (white blood cell count) and elevated IgA (Immunoglobulin A).

After 1.5 years of low WBC, within 30 days of using the clay, my daughter's WBC normalized and the increase in her elevated IgA slowed down. This lab shows that the WBC has continued to remain normal, but the IgA has increased in 47 points in 3 months which is about how long it has been since we ran out of the clay. I believe with my whole heart that this clay helped in her detox process and WBC stabilizing as well as slowing the IgA. Although we are now doing a lot more to her overall regime, I was able to watch how much the clay made a difference when it was the only variable.

We love this stuff and are very blessed and grateful to have received a sample to try!

Nora Dechant
December 17, 2020

©2026 Living Design Technology® | All Rights Reserved

Scientific Testing / 3rd Party Supporting Research

- Kirlian Photography Studies, Agape Center of New Orleans, 2014
- Psy-Tek Labs Tests and Professional Testimonial, 2016-2021
- Well Water Testing Before and After LDT Harmonizing, 2024-2025
- XenPod Kirlian Photography Case Study, XenPod New Zealand, 2025
- AuraVideo 7 Biofeedback Case Study, Oakland Park, Florida, 2026

Photo ©Dan Leak

©2026 Living Design Technology®

Kirlian Photography Studies
Agape Center 501C3 in New Orleans

- Shirley Saylors Clarkson, BSN, founder of the Agape Center 501C3 in New Orleans and founding member of the Holistic Nursing Association
- All LDT research and scientific testing since 2004 was independently designed by the Agape Center's Team and conducted through the Agape Center of New Orleans

©2026 Living Design Technology® | All Rights Reserved

The Electromagnetic Field is Visible Through Kirlian Photography

Kirlian photography is a collection of photographic techniques used to capture the phenomenon of electrical coronal discharges.

Kirlian Photography Helps Us Understand the Relationship Between Nature and Technology

Tara's Baseline Energy Field

Taken with Fuji Film

©2026 Living Design Technology® | All Rights Reserved

Scientific Testing - Agape Center

A

Tara Baseline

B

Tara holding cell phone

C

Tara holding LDT harmonized cell phone

©2026 Living Design Technology® | All Rights Reserved

Scientific Testing - Agape Center

A

Tara Baseline

B

Tara holding dehydrated geopathic stressed house plant

C

Tara holding LDT harmonized dehydrated geopathic stressed house plant

©2026 Living Design Technology® | All Rights Reserved

Scientific Testing - Agape Center

A

Tara Baseline

B

Tara holding untreated tap water

C



Tara holding LDT harmonized untreated tap water

©2026 Living Design Technology® | All Rights Reserved

Agape Center
Double Blind Kirlian Photography Test

The independently designed Agape Center's team included 1) a senior electrical engineer trained MD, who is one of the top electrical engineers in the world, 2) a founder member of the Holistic Nursing Association, and 3) an expert Kirlian photography RN.

©2026 Living Design Technology® | All Rights Reserved

Agape Center
Scientific Method Validation

Executed by Mary J. Frost, RN, BSN, MS
Certified Holistic Nurse and Healing Touch Instructor

Each time the Living Design Technology® Card Harmonizer was held in each person's hand, the change in the individual's aura was observed with Kirlian Photography.

The change in the individual's aura was not visible each time the placebo card was held.

The Agape Center's Research Team concluded that this double-blind test confirmed the results of the initial Kirlian photography experiment with Tara.

©2026 Living Design Technology® | All Rights Reserved

Agape Center

Double Blind Kirlian Photography Test Design

This Double-Blind Test with 5 people and 15 photographs each confirmed the original results of the Tara Experiment

©2026 Living Design Technology® | All Rights Reserved

Psy-Tek Labs Led by Dr. Gaétan Chevalier

Dr. Gaétan Chevalier, Encinitas, CA

https://psy-tek.com

- PhD in Engineering Physics from the University of Montréal, Montréal, Québec, Canada.
- UCLA Spectroscopist (light frequencies analysis specialist) in fields of fusion and plasma physics.
- Director of Research at the California Institute for Human Science.
- Currently visiting scientist at the Developmental and Cell Biology Department, University of California at Irvine.
- Director of Research at Psy-Tek Laboratories on the campus of the California Institute for Human Science.
- Dr. Chevalier has published more than 50 papers in peer-reviewed journals.

©2026 Living Design Technology® | All Rights Reserved

Professional Testimonial

"Several years ago, we tested your product for EMF protection using equipment to measure the energy field of a person. We found that it was not only effective at protecting the person's energy, but it was able to restore a person's energy to a state at least as good as the energy state of the person before exposure to EMFs.

Having repeated this process of exposing people to EMFs and see how your product was able to restore their energy every time, convinced us of its effectiveness.

This is even more significant in that we tested many products purporting to "protect" against EMFs, but never found one until we tested yours. We want to congratulate you on offering a product that works, a rarity in this type of products for EMF protection."

Gaétan Chevalier, Ph.D.
Research Director
Psy-Tek Labs
Encinitas, CA 92024

©2025 Living Design Technology® | All Rights Reserved

Psy-Tek Labs Test Results

by Dr. Gaétan Chevalier

Subject **with no cell phone**
5th chakra



0.50

Subject **with a cell phone**
5th chakra



-0.24

Subject **with a cell phone with Living Design Technology® Sticker harmonizers**
5th chakra



0.53

©2025 Living Design Technology® | All Rights Reserved



Psy-Tek Labs GDV Test Results Graph for Living Design Technology® Harmonizers

Vitality Level before and after two LDT Sticker Harmonizers were placed on the iPhone 6 of the test subject. Graph shows measurements of the throat (5th chakra).

©2025 Living Design Technology® | All Rights Reserved

Well Water Test Results Before LDT - July 2024

Y6XHC3

simplelab

CLIENT INFORMATION

Client: [redacted]
Requested On: Jul 9, 2024
Phone: [redacted]
Email: [redacted]

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapscore.com
Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Essential Well Water Test
Matrix: Drinking Water
Testing / Report ID: Y6XHC3
Testing Facility: Symbio Laboratories
Facility Location: 8312 Miramar Mall
San Diego, California 92121

SAMPLE INFORMATION

Collection Date: Jul 15, 2024
Collected By: [redacted]
Received Date: Jul 17, 2024
Reported On: Jul 24, 2024
Sample Location: well
Sample Address: [redacted] AL

TESTING NOTES

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapscore.com

SUMMARY ANALYSIS

ANALYTE	UNIT	RESULT	METHOD	EVALUATION
pH	pH	7.73	EPA 150.1	OK
Total Dissolved Solids	mg/L	73.5	SM 2510 B	
Turbidity	NTU	12.8	SM 2130 B	
Conductivity	umhos/cm	114.6	SM 2510 B	
Hardness (Ca,Mg)	mg/L	36.79		
Hardness (Total)	mg/L	41.13		
Grains per gallon	Grains	2.4		
Alkalinity (as CaCO3)	mg/L	47.5	SM 2320 B	
Langelier Saturation Index		-1.1		
Sodium Adsorption Ratio		0.47		

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EVALUATION
Aluminum	mg/L	0.43708	0.00974	0.02922	EPA 200.7	
Antimony	mg/L	NOT DETECTED	0.00014	0.00042	EPA 200.8	
Arsenic	mg/L	0.0002534	5.0E-5	0.00016	EPA 200.8	> MCLG (0)
Barium	mg/L	0.03937	9.0E-5	0.00027	EPA 200.7	< MCLG (2)
Beryllium	mg/L	NOT DETECTED	1.0E-5	5.0E-5	EPA 200.8	

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Boron	mg/L	0.0264	0.00348	0.01043	EPA 200.7	
Cadmium	mg/L	NOT DETECTED	0	1.0E-5	EPA 200.8	
Calcium	mg/L	12.8508	0.00319	0.00956	EPA 200.7	
Chloride	mg/L	3.734	0.007	0.2	EPA 300.1	
Chromium (Total)	mg/L	NOT DETECTED	0.00019	0.00056	EPA 200.8	
Cobalt	mg/L	0.0001033	0	5.0E-5	EPA 200.8	
Copper	mg/L	0.00364	0.00039	0.00117	EPA 200.7	< MCLG (1.3)
E. coli	P/A	NOT DETECTED			SM 9223B	
Fluoride	mg/L	0.004	0.004	0.2	EPA 300.1	< MCLG (4)
Iron	mg/L	0.16126	0.00072	0.00215	EPA 200.7	
Lead	mg/L	0.0022246	2.0E-5	6.0E-5	EPA 200.8	> MCLG (0)
Lithium	mg/L	0.00192	0.00017	0.0005	EPA 200.7	
Magnesium	mg/L	1.1418	0.00037	0.0011	EPA 200.7	
Manganese	mg/L	0.10586	7.0E-5	0.00021	EPA 200.7	
Mercury	mg/L	NOT DETECTED	1.0E-5	4.0E-5	EPA 200.8	
Molybdenum	mg/L	1.2E-5	1.0E-5	5.0E-5	EPA 200.8	
Nickel	mg/L	0.0007534	0.0001	0.00031	EPA 200.8	
Nitrate (as N)	mg/L	0.006	0.006	0.2	EPA 300.1	< MCLG (10)
Nitrite (as N)	mg/L	NOT DETECTED	0.006	0.2	EPA 300.1	
Phosphorus	mg/L	0.08073	0.00587	0.01762	EPA 200.7	
Potassium	mg/L	2.46924	0.00068	0.00204	EPA 200.7	
Selenium	mg/L	NOT DETECTED	0.00041	0.00122	EPA 200.8	
Silica	mg/L	47.46972	0.00618	0.01855	EPA 200.7	
Silver	mg/L	NOT DETECTED	1.0E-5	2.0E-5	EPA 200.8	
Sodium	mg/L	6.53987	0.00017	0.0005	EPA 200.7	
Strontium	mg/L	0.3988	4.0E-5	0.00011	EPA 200.7	
Sulfate	mg/L	6.547	0.009	0.2	EPA 300.1	
Thallium	mg/L	2.0E-6	0	1.0E-5	EPA 200.8	< MCLG (0.0005)
Tin	mg/L	NOT DETECTED	0.0034	0.01019	EPA 200.7	
Titanium	mg/L	0.02138	0.00028	0.00084	EPA 200.7	
Total Coliform	P/A	NOT DETECTED			SM 9223B	
Uranium	mg/L	2.6E-5	3.0E-5	8.0E-5	EPA 200.8	> MCLG (0)
Vanadium	mg/L	0.000166	0.00017	0.0005	EPA 200.8	
Zinc	mg/L	1.13861	0.00044	0.00132	EPA 200.7	

How To Read Your SimpleLab PDF Report

Your results are being evaluated with the Federal Maximum Contaminant Level Goal (MCL-G).
This is a non-enforceable public health objective developed by the U.S. EPA. MCLGs are set to zero for known carcinogens, or a lifetime no-effects level for non-cancer endpoints.

MDL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team is configured to measure.

Use of this report can only be done in full, with no alterations or additions. SimpleLab maintains the right to enforce this and by accepting this report you agree to abide by this policy.

simplelab

©2025 Living Design Technology® | All Rights Reserved

Well Water Test Results After LDT
February 2025

©2025 Living Design Technology® | All Rights Reserved

Well Water Test Results Summary

Analyte	Before LDT Harmonizing 2024	After LDT Harmonizing 2025
Turbidity	✓	0
Aluminum	✓	0
Arsenic	✓	0
Cobalt	✓	0
Fluoride	✓	0
Iron	✓	0
Lead	✓	0
Lithium	✓	0
Molybdenum	✓	0
Nickel	✓	0
Nitrate (as N)	✓	0
Thallium	✓	0
Titanium	✓	0
Uranium	✓	0
Vanadium	✓	0

©2025 Living Design Technology® | All Rights Reserved

XenPod Ascension Kirlian Photography Case Study

Independent testing conducted by XenPod (New Zealand/Australia) using Kirlian photography and biofeedback — November 11, 2025

www.xenpod.co.nz

XenPod is an Australian wellness company whose Ascension XenPod lymphaciser trampoline incorporates harmonic energizing principles and Living Design Technology®. This independent testing session was designed to measure the effect of the LDT-enhanced XenPod on the human bio-energetic field, using Kirlian photography and biofeedback.

2	20 min	100%	Nov 11, 2025
Subjects tested	XenPod session	Both reached full field	Test date

©2026 Living Design Technology® | All Rights Reserved

Test Method — November 11, 2025

Baseline

Each subject's biofeedback and Kirlian photograph were taken before the session. Bioenergetic testing recorded the percentage of full spectrum Gold light present across all 7 levels of the lightbody, plus ATP biofield amplitude on a 1-100% scale.

Session

Each subject bounced on the LDT-enhanced Ascension XenPod for 20 minutes.

Post-session

All biofeedback readings were re-taken immediately after. A second Kirlian photograph was captured for visual comparison.

On-site Analysis

Kirlian images were interpreted by Tracy Darling (USA), a professional Kirlian reader.

©2026 Living Design Technology® | All Rights Reserved

Kirlian Photography — Before & After Results

BEFORE — 20 min on XenPod | **AFTER — 20 min on XenPod**

Model A — Saffron

Dominant blue-green energy cluster upper left resolved after session.
Purple and violet balanced evenly around the body.
Posture and expression described as visibly more open and radiant.

©2026 Living Design Technology® | All Rights Reserved

Kirlian Photography — Before & After Results

BEFORE — 20 min on XenPod | **AFTER — 20 min on XenPod**

Model B — Jayanti

Heavy red-orange disharmony and dark areas cleared.
Violet-pink energy spread evenly and symmetrically.
Expression described as more balanced, peaceful and younger-looking.

©2026 Living Design Technology® | All Rights Reserved

Biofeedback Results — Summary



** Amplitude exceeded 100% scale — indicates significant bio-energetic expansion beyond baseline capacity.*

Full Spectrum Coherent Light — All 7 Lightbody Levels

Level	Before	After
Physical	80–90%	**100%**
Etheric	80–90%	**100%**
Astral	80–90%	**100%**
Mental	80–90%	**100%**
Causal	80–90%	**100%**
Spiritual	80–90%	**100%**
Divine	80–90%	**100%**

Both subjects reached **100%** on all 7 lightbody levels after just 20 minutes on the LDT-enhanced XenPod.

Source: XenPod (NZ/AU) — Independent testing session, Nov 11, 2025.
Kirlian interpretation: Tracy Darling.

©2026 Living Design Technology® | All Rights Reserved

AuraVideo 7 Biofeedback Case Study

Measuring the effect of the LDT Pendant on the human bio-energetic field using AuraVideo 7 biofeedback technology

1	2	50 min	Feb 13, 2026
Subjects tested	Sessions	Apart	Test date

Single-subject observational case study. Results are preliminary and intended to support broader inquiry.

©2026 Living Design Technology® | All Rights Reserved

AuraVideo 7 Biofeedback — Test Conditions

Session 1 — Without pendant

Time: 2:59 PM — February 13, 2026

- No LDT pendant worn
- Baseline measurement
- AuraVideo 7 hand sensor reading
- Flowlife NYC Holistic Lounge

Session 2 — Wearing LDT pendant

Time: 3:49 PM — February 13, 2026

- LDT pendant worn
- 50 minutes after session 1
- Same instrument, same subject
- Same facility, same day

Only variable between sessions: **the LDT Pendant** | All other conditions identical

©2026 Living Design Technology® | All Rights Reserved

AuraVideo 7 Results — Aura Field Size & Key Findings



+100% Aura size increase
40% → 80%

+400% Heart chakra increase
20% → 100%

6 of 7 Chakras improved
1 unchanged (naval)

100% Peak measurement
Heart chakra at capacity

©2026 Living Design Technology® | All Rights Reserved

AuraVideo 7 Results — All Chakra Measurements

Percentage of full chakra capacity — AuraVideo 7 biofeedback system



©2026 Living Design Technology® | All Rights Reserved

AuraVideo 7 Results — Percentage Change Summary

Measurement	Without Pendant	Wearing LDT Pendant	% Change
Aura Field Size	40%	**80%**	**+100%**
Base Chakra	20%	**40%**	**+100%**
Naval Chakra	40%	40%	*No change*
Solar Plexus Chakra	30%	**90%**	**+200%**
Heart Chakra	20%	**100%**	**+400%**
Throat Chakra	30%	**60%**	**+100%**
Third Eye Chakra	30%	**50%**	**+67%**
Crown Chakra	20%	**50%**	**+150%**

Source: AuraVideo 7 biofeedback system — Flowlife NYC Holistic Lounge, Oakland Park FL — February 13, 2026

©2026 Living Design Technology® | All Rights Reserved

AuraVideo 7 — Aura Field Visualization

Same subject. Same day. Same instrument. Only variable: LDT Pendant.

WITHOUT LDT PENDANT



2:59 PM | Aura size: 40%

WEARING LDT PENDANT



3:49 PM | Aura size: 80% (+100%)

©2026 Living Design Technology® | All Rights Reserved

Harmonizing Nature & Technology



www.LDTglobal.com

©2026 Living Design Technology® | All Rights Reserved